


Disclaimer: Drawings produced by DANOSA UK should be considered non-scalable and for illustrative purposes only. Issued design principals form instructions for the installation of DANOSA UK materials only and should be considered as part of an overall design rather than in isolation. Product 'Technical Datasheets' are available for all DANOSA UK products and should be consulted in conjunction with all issued DANOSA UK installation instructions. Drawings are subject to copyright and should not be reproduced without permission.



**Drawing Notes:**  
 The structural substrates should be primed in accordance with the project specification. Substrates shown in this drawing are for illustrative purposes only.  
 All membrane overlaps should be a minimum of 100mm to achieve a minimum 80mm full bond.  
 Parapet outlets require a head of water in order to function effectively, so are best located within a gutter or localised sump.  
 Parapet outlets should be supplied and installed with a suitable outlet guard as determined by the DANOSA flow rate calculation.  
 DANOSA parapet outlets are supplied with a 600mm spigot.

**Note A:**  
 Where a full bond to the substrate is required, or where ESTERDAN 30 P ELAST SEMIADHESVIO is used as the underlay, GLASDAN 800 PERFORADO does not form part of the system.

**Important Note:**  
 External finishes fall outside of DANOSA specification.

<b>Drawing Number:</b> DUK-B-(G)-301W	<b>Revision:</b> 00
<b>Date Drawn:</b> March 2017	<b>Author:</b> SL

Drawing Title:  
 Parapet Outlet  
 Bituminous Membranes - Warm Roof



**DANOSA UK Limited**  
 Tel: 0845 074 0553 | www.danosa.co.uk | uktechnical@danosa.com